#### SeroNet

# Template for SARS-CoV-2 post-vaccine surveillance studies in cancer/immunocompromised individuals

#### Purpose:

Provide a common study template that could be used within SeroNet and beyond for the serosurveillance of cancer/immunocompromised patients receiving a SARS-CoV-2 vaccine. The template could be applicable to prospective interventional trials when investigators have access to vaccines for experimental use, or for observational studies where individuals receive vaccines as they become available in the community.

#### Population can include:

- Newly diagnosed cancer patients
- Patients currently undergoing treatment for cancer, including chemotherapy, radiation therapy, immunotherapy, targeted therapy, or combinations of therapies
- Individuals with a history of cancer/cancer survivors
- Immunocompromised individuals
- Individuals with autoimmune diseases

This document is intended to be agnostic as to which vaccination individuals receive and will provide recommendations for:

- Population
  - Recommend focus on a particular population if possible. For example, a specific cancer type, autoimmune disease, or individuals treated with certain therapeutics.
  - Inclusion of a control group, or consideration for an external control group using the same timepoints and assays.
- Specimen selection and collection
  - Timepoints for vaccination and collection
  - Specimen types
  - Specimen collection protocols
  - o Key determinants to be considered
- Assays
  - $\circ$  Type
  - Benchmarking/standardizing
  - Standard protocols where available
- Data collection and common data elements (CDEs)
  - Demographics
  - Clinical characteristics
    - Including cancer CDEs as well as for other co-morbidities
  - Vaccine kinetics


#### **Design Considerations:**

- Vaccine responses can be influenced by a number of factors and conditions
  - Cancer and autoimmune disease and their treatments could affect immunocompetence and therefore vaccination responses.
  - What is this impact of cancer and/or cancer therapy on response to the vaccine and conversely, what is the impact of the vaccine on cancer treatment or cancer progression?
  - Individuals with cancer are a complex and extremely diverse population and there are a multitude of considerations, including approaches to capturing the appropriate clinical information regarding an individual's cancer type, subtype, stage, treatments/regimen (chemotherapy, radiation therapy, immunotherapy, surgery), time since diagnosis, timing of therapy, etc.
  - Individuals with autoimmune diseases could experience flareups or other adverse reactions following vaccination.
- Recommendations for when specimens should be collected for optimal tracking of the vaccine induced immune response vs. those timepoints that are important from a cancer treatment perspective.
  - Inclusion of additional sampling timepoints following a documented infection (positive PCR) after vaccination.
  - Inclusion of additional sampling timepoints when adverse events are observed.
- The inclusion of a healthy control group within the study, or identification of an external control group using similar collection and testing procedures.
- Collection of non-cancer related clinical data performance status, chronic diseases and specific therapies, co-morbidities, tobacco history (particularly lung cancer), alcohol history, other medications, etc.
- Collection of quality-of-life considerations and patient reported outcomes

#### **Scientific and Clinical Questions**

- Anamnestic response is likely to be blunted in cancer/immunocompromised population as measured by antibody titer.
  - The degree of compromise in antibody responses and decay is unknown.
  - Specific populations and treatments should be correlated with antibody kinetics.
- Changes in incidence of adverse events (vaccine or cancer related).
- Considerations for the spacing of vaccine doses or need for an additional boost to confer protective "titers".

#### Timeline and specimen collection



*Figure 1.* Recommended timepoints for the collection of biospecimens following vaccination with a two dose or single dose vaccine. The red box indicates the recommended minimal timepoints for specimen collection to measure vaccine immune kinetics.

Dependent upon the needs of the study, this template provides guidance about the core or minimum number of timepoints and sample types to collect post-vaccination for meaningful interpretation of the immune response to the vaccine. Note that the D0/D1 timepoint is intended to establish a baseline and samples should be collected prior to vaccination. This sample collection can occur on the same day as the vaccination, or up to one week before a planned vaccination.

It is also recommended to collect a nasal swab at the time other specimens are collected for measuring active infection/viral shedding.

**Table 1**. Recommended collection timepoints per specimen type. PB denotes post-boost timing, for single dose vaccines the timepoints PB should be considered as well (1-, 3-, 6-, 12-, 18-, and 24-months post vaccination). The timepoints highlighted in red and with an X denote the minimum recommended specimen collection per timepoint. Other sample collection timepoints within the table are recommended for additional collections based on study aims.

Sample	D0/D1	D4	D8	D22/29	1M	3M (PB)	6M (PB)	12M	18M	24M
Туре	(Prime)			(Boost)	(PB)			(PB)	(PB)	(PB)
Serum										Х
Plasma										
PBMC	Х			Х	Х					
DBS										
Saliva										
Nasal Swab	Х			Х	Х		Х	Х		Х

**Table 2.** Recommended assays per timepoint following vaccination. X denotes the minimum recommended timepoints per assay type. Other sample collection timepoints within the table are recommended for additional assays depending on study aims.

Assay Type	D0/1D1 (Prime)	D4	D8	D22/29 (Boost)	1M PB	3M PB	6M PB	12M PB	18M PB	24M PB
Serology (LBA)										Х
Serology (Neutralization Assay)	Х			Х	Х			Х		
Immune Cell Repertoire	Х	Х	Х	Х	Х					
ELISPOT	Х		Х	Х	Х	Х				
Intracellular Cytokine Staining	Х		Х	Х	Х	Х				
Assays for innate immunity	Х	Х	Х							

#### Table 3. Immune assays by sample type

Assay	Serum	Plasma	PBMC	DBS	Saliva	Nasal Swab
Serology (LBA)						
Serology (Neutralization Assay)	х	х			х	
Immune Cell Repertoire			Х			
ELISPOT			Х			
Intracellular Cytokine Staining			х			
Assays for innate immunity	Х	Х	Х			
SARS CoV 2 Diagnostic Test						Х

#### **Assay Types**

The SeroNet Operations (Ops) groups will be key to collecting information about assays that are used by SeroNet investigators, including validation and regulatory status, and the intended use for clinical or research studies with the goal of developing standard or harmonized assays to enable cross-laboratory and study analyses. The Serology Assays Ops group is currently planning on conducting a comparative study for high-throughput immune monitoring assays, in particular ligand binding assays (LBA), to determine assay performance characteristics and evaluate the suitability for the intended use.

Sample collection/preparation protocols are dependent upon the assay type. The attached documents provide standard procedures from the FNL Serology Lab for:

- Serum biospecimen processing
- o PBMC isolation and cryopreservation

It is recommended to use assays that have been well characterized and validated. Below is a list of recommended assay types and protocols as available at the time of document completion.

- Serology (LBA): To distinguish natural infection from vaccine induced immunity we recommend performing an IgG LBA against both the Spike (natural infection and vaccine-mediated) and N (natural infection) proteins.
  - It is recommended to perform an FDA EUA quantitative assay.
  - When using an in-house assay provide information about the sensitivity and specificity of the assay compared to the National standard available from the FNL Serology Lab.
- Serology (neutralization assay): To determine the presence and magnitude of functional, neutralizing SARS-CoV-2 antibodies as well as correlation with ligand binding assay results. This is a more laborious assay and can be considered at limited timepoints or in limited subsets.
- **Immune cell assessments:** Disease related abnormalities and treatments for cancer and autoimmune disease can impact immune cell populations/ immunocompetence and potentially affect the response to vaccination. Therefore, especially a baseline immune assessment will be critical for the correlation of immune kinetics to immune status.
  - Assay types can include flow-cytometry and CyTOF.
- **ELISPOT**: Quantitative assay that measures cytokines released from antigen stimulated T cells.
- Intracellular cytokine staining (ICS): Flowcytometry-based assay that allows for simultaneous cellular phenotyping and single cell cytokine detection used to assess T cell responses.
- Innate immune cell measurement assays:
  - This template does not make specific assay recommendations to measure the innate immune response (note that the immune cell repertoire profiling can include assessment of innate immune cell populations).
- SARS-CoV-2 diagnostic test: PCR-based assay to detect viral RNA.
  - Recommend using an FDA EUA assay.

#### **Common Data Elements**

To facilitate SeroNet-wide data analyses the use of a minimum set of common data elements (CDEs) are recommended. Some data elements are recommended to be collected at each timepoint/encounter if feasible, others can be collected following consent at the beginning of the study. CDEs are roughly divided by:

- Demographics
- Clinical characteristics

- Patient reported outcomes
- Assay results

See the spreadsheet for draft SeroNet Common Data Elements

Frederick National Laboratory for Cancer Research sponsored by the National Cancer Institute	Vaccine, Immunity and Cancer Program Standard Operating Procedure				
SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)					
Document ID: VIC_LAB_002	Version	2.0			
Page 1 of 12	Supersedes	1.0			

Released by / Effective Date:Angelina C. RichardsDigitally signed by Angelina C.<br/>Richards -S (Affiliate)-S (Affiliate)Date: 2020.11.24 17:34:25 -05'00'

Written by:					
Printed Name:	Title:	Signature/Date:			
Troy Kemp	Scientific Manager	Troy J. Kemp -S (Affiliate) Digitally signed by Troy J. Kemp - S (Affiliate) Date: 2020.11.24 16:44:42 -05'00'			

Approved by:		
Printed Name:	Title:	Signature/Date:
Debra Hope	NCI SeroNet Project Manager	Debra A. Hope -S (Affiliate) Digitally signed by Debra A. Hope -S (Affiliate) Date: 2020.11.24 16:52:24 -05'00'
Ligia Pinto	Director	Ligia A. Pinto -S (Affiliate) Digitally signed by Ligia A. Pinto - S (Affiliate) Date: 2020.11.24 17:25:14 -05'00'
QA Approved by:		
Printed Name:	Title:	Signature/Date:
Angelina Richards	QA Specialist III	Angelina C. Richards -S (Affiliate) Digitally signed by Angelina C. Richards -S (Affiliate) Date: 2020.11.24 17:34:07 -05'00'

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

Effective Date: 24Nov20

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)Document ID: VIC\_LAB\_002Version2.0Page 2 of 12Supersedes1.0

#### 1. PURPOSE

- 1.1. This GUIDANCE DOCUMENT is designed to explain how to process serum biospecimens.
- 1.2. This GUIDANCE DOCUMENT is intended to convey the process parameters and practices to be followed by each institute associated with the National Cancer Institute (NCI) Serology Network (SeroNet).

#### 2. SCOPE

- 2.1. This document applies to all institutes associated with SeroNet through collaborations, grant funding, subcontracts, etc. that perform biospecimen processing.
- 2.2. This procedure does not describe the biospecimen collecting process. The biospecimen collecting process is dictated by the institute's protocol.

#### 3. REFERENCES

- 3.1. VIC\_GL\_002: Shipping SARS-CoV-2 Associated Specimens to the FNL Central Repository (NCI SeroNet Guidance Document)
- 3.2. VIC\_GL\_003: Key Entity Identifier Assignment (NCI SeroNet Guidance Document)

#### 4. **RESPONSIBILITIES**

- 4.1. It is the responsibility of the institute performing the serum biospecimen processing to:
  - 4.1.1. Perform biospecimen processing using the indicated reagents, materials, equipment and process parameters in this guidance document.
  - 4.1.2. Ship the processed biospecimens to the Frederick National Laboratory for Cancer Research (FNL) Central Repository following "VIC\_GL\_002: Shipping SARS-CoV-2 Specimens to the FNL Central Repository (NCI SeroNet Guidance Document)."
- 4.2. It is the responsibility of the Vaccine, Immunity and Cancer Program (VIC) to:
  - 4.2.1. Generate, review and approve the biospecimen processing guidance document.
  - 4.2.2. Distribute the most current version of this guidance document to each institute associated with SeroNet.

#### 5. DEFINITIONS

5.1. Biospecimen - a sample of biological material, such as urine, whole blood, blood components, tissue, cells, DNA, RNA, and protein.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

sponsored by the National Cancer Institute

## Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_002     Version     2		2.0	
Page 3 of 12	Supersedes	1.0	

5.2. Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2)

#### 6. REAGENTS, MATERIALS AND EQUIPMENT

- 6.1. Equipment
  - 6.1.1. Class II Biosafety Cabinet (BSC)
  - 6.1.2. -80°C Freezer
  - 6.1.3. 2-8°C Refrigerator
  - 6.1.4. Benchtop Centrifuge
  - 6.1.5. Serologic Pipette
  - 6.1.6. Pipette
- 6.2. Consumables

**Note:** Consumables requiring approval for use as "equivalent" by the NCI SeroNet are indicated with an Asterisk (\*).

- 6.2.1. SeroNet specified 5 mL sterile tubes (Fisher Scientific, Cat #12-565-291 or equivalent\*)
- 6.2.2. 125 mL Media Storage Bottle (Thomas Scientific, Cat # 19A00M420 or equivalent)
- 6.2.3. 250 mL Media Storage Bottle (Thomas Scientific, Cat # 19A00M421 or equivalent)
- 6.2.4. Pipette Tips
- 6.2.5. Serological Pipets
- 6.2.6. Blood Collection Tubes (Vacutainers)
  - 6.2.6.1. Serum tube glass (BD, Cat # 366430 or equivalent\*)
- 6.2.7. 4" Box and 81 position insert, or equivalent
- 6.2.8. Labels that can withstand temperatures  $\leq 80^{\circ}$ C
  - 6.2.8.1. Example: Brady Label (Anthony-Lee Associates, Cat # THT-133-461-SLIT)

#### 7. HEALTH AND SAFETY CONSIDERATIONS

Effective Date: 24Nov20

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_002Version2.0			
Page 4 of 12	Supersedes	1.0	

**Note:** Each institute's Environment, Health, and Safety department will provide definitive measures for safety when processing human biospecimens as these considerations are provided only as a guideline.

- 7.1. Proper safety precautions should be taken while working in a laboratory setting. This includes, but is not limited to, proper protective equipment such as lab coats, safety glasses, closed-toe shoes, and non-latex gloves.
- 7.2. If SARS-CoV-2 positive samples are being processed, additional protective equipment is worn such as double layer of non-latex gloves and disposable arm sleeves.
- 7.3. A face mask is part of the standard personal protective equipment for the laboratory during the SARS-CoV-2 pandemic.
- 7.4. Follow the institute governed Biosafety Level 2 (BSL-2) requirements for handling and processing human biospecimens.
- 7.5. All human biospecimen processing work is performed inside of a Class II BSC.
- 7.6. Refer to the respective Safety Data Sheet (SDS) when working with any chemicals.
- 7.7. Refer to the institute's processes for disposing of biohazardous and chemical waste.

#### 8. PROCEDURE PRINCIPLES

- 8.1. Refer to "VIC\_GL\_003: Key Entity Identifier Assignment (NCI SeroNet Guidance Document)" for process of assigning IDs to biospecimens and biospecimen aliquots.
- 8.2. Image of form "VIC\_LAB\_002.01, Serum Biospecimen Processing Form" is attached for institute's reference. The minimum information requiring documentation during the performance of the processing of the serum biospecimen is included in this form. See Attachment 1.
- 8.3. Image of form "VIC\_LAB\_002.02, Serum Biospecimen Collection Form" is attached for institute's reference. The minimum information requiring documentation during the collection of the blood biospecimen for serum processing is included in this form. See Attachment 2.
- 8.4. It is preferred that all equipment used in this process be maintained, at minimum, per the equipment manufacturer's recommendations.
- 8.5. It is preferred that all Pipettes, Laboratory Freezers and Refrigerators, and Benchtop Centrifuges used in this process be calibrated by a vendor or other qualified party.
- 8.6. It is preferred that all Laboratory Freezers and Refrigerators used in this process be monitored for temperature by a temperature monitoring system.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_002Version2.0			
Page 5 of 12	Supersedes	1.0	

8.7. All human biospecimen handling is performed in a Class II Biosafety Cabinet (BSC) except for centrifugation and storage.

#### 9. SERUM SEPARATION

### Note: The maximum allowable time from blood collection (processing serum) to storage in a -80°C freezer is 8 hours.

- 9.1. Once blood biospecimen is received, allow the blood to clot upright at room temperature for 30-60 minutes.
- 9.2. If the blood biospecimen cannot be centrifuged immediately after the clotting time, refrigerate tubes at 2-8°C for up to 4 hours.
- 9.3. Label 5 mL sterile tubes for each serum biospecimen being processed. Use Attachment 3 for label specifications.

**Note:** The labels are expected to be printed by each Capacity Building Center (CBC) according the example in Attachment 3.

- 9.3.1. Biospecimen Aliquot ID: Refer to VIC\_GL\_003 for biospecimen aliquot ID assignment process. **Use Deidentified Biospecimen Aliquot ID Only**.
- 9.3.2. Biospecimen Type: Human Serum
- 9.3.3. Volume in milliliters (mL).
- 9.4. Rack the labeled tubes and set aside.
- 9.5. In a BSC, load blood biospecimen tubes into the centrifuge buckets and add the biohazard dome.
- 9.6. Centrifuge blood biospecimen tubes for 20 minutes at 1300 x g at 20-25°C.

**Note:** In case of catastrophic failure such as broken rotor, bucket, or biohazard dome during centrifugation, allow the centrifuge to sit for 30 minutes after it has stopped. Prior to inspection, consult with the clinic's Safety Department for best practices of biohazard clean up.

- 9.7. Following centrifugation, transport the centrifuge buckets with the biohazard dome to the BSC, and unload blood biospecimens in the BSC.
- 9.8. Carefully collect the top serum layer with a pipette. Do not disturb the buffy coat layer.

**Note:** Be very careful not to pick up red blood cells. Keep pipette above the red blood cell layer and leave a small amount of serum in the tube.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

1.0

Supersedes

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_002	Version	2.0		
Document ID: VIC_LAB_002	Version	2.0		

Page 6 of 12

- 9.9. Place serum into a sterile Media Storage bottle. Vials from a single research participant are pooled together.
- 9.10. Mix by inverting the bottle 10 times.
- 9.11. Pipette 4.5 mL serum into the labeled sterile 5 mL tubes.
- 9.12. Label box(es) using label specification in Attachment 3.
- 9.13. Place aliquots into labeled box(es).
- 9.14. Store in -80°C freezer.
- 9.15. Ship specimens on dry ice to the FNL Central Repository following VIC\_GL\_002.

#### 10. ATTACHMENTS

- 10.1. Attachment 1: VIC\_LAB\_002.01, Serum Biospecimen Processing Form
- 10.2. Attachment 2: VIC\_LAB\_002.02, Serum Biospecimen Collection Form
- 10.3. Attachment 3: Vial Label and Box Label

#### 11. REVISION HISTORY

Version	Change	Reason
1.0	New guidance document for specimen processing by SeroNet organizations.	Currently no procedure; new initiative requiring communication of expectations.
2.0	<ol> <li>Changed "specimen" and "sample" to "biospecimen" throughout document.</li> <li>Minor formatting and grammatical changes throughout document.</li> <li>Added Biospecimen and SARS-CoV-2 to new Definitions section.</li> <li>Added VIC_GL_003 to References section.</li> <li>Added SARS-CoV-2 and pandemic specific health/safety guidelines to Health and Safety Considerations section.</li> <li>Added reference to VIC_GL_003, reference to new form, reworded equipment requirements to be "preferred" in the Procedure Principles section.</li> <li>New form VIC_LAB_002.02 to capture biospecimen collection.</li> </ol>	<ol> <li>Consistency between documents and database verbiage.</li> <li>Clarification.</li> <li>Clarification.</li> <li>Referenced in body of procedure.</li> <li>Clarification.</li> <li>Clarification.</li> <li>Clarification.</li> <li>Ease of use.</li> </ol>

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

sponsored by the National Cancer Institute

## Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_002	Version	2.0		
Page 7 of 12	Supersedes	1.0		

8. Revised form VIC_LAB_002.01 to	8. Ease of use.
capture serum processing. Reformatted	
to accommodate processing of more	
than one biospecimen at one time.	

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

Effective Date: 24Nov20

sponsored by the National Cancer Institute

## Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_002Version2.0				
Page 8 of 12	Supersedes	1.0		

#### Attachment 1: VIC\_LAB\_002.01, Specimen Processing Form

Frec	Ierick National L for Cance sponsored by the Nat	er Research	Vaccine, Immunity and Cancer Program Standard Operating Procedure Form		
Form T	itle: Serum Biospec	cimen Processing For	m		
Docum	ent ID: VIC_LAB_0	02.01	Version:	2.0	
Associa	ted SOP: VIC_LAB	_002	Effective Date:		
Su	persedes:	1.0		Page 1 of 3	
Biospe	cimen Receipt				
erum Biospec	imen Processing La	boratory Name:			
iospecimen Number	Deidentified	Biospecimen ID	Date Received	Time Received (24H)	Initials
1					
2					
3					
4					
5					
□ N/A -80	pette				
	sumable Name	Catalog Numbe	r Lot Num	ber Expira	tion Date
⊒ N/A 5 r ⊒ N/A	nL Sterile Tubes				

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Effective Date: 24Nov20

sponsored by the National Cancer Institute

### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_002Version2.0				
Page 9 of 12	Supersedes	1.0		

_
_
_
_
-
nitials
r

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

sponsored by the National Cancer Institute

### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_002Version2.0				
Page 10 of 12	Supersedes	1.0		

	for Cancer Research		Standard	I Operating Procedure Form
Form Title: Serum	Biospecimen Process	ing Form		
Document ID: VIC	LAB_002.01	v	Version: 2.0	
Associated SOP: \	/IC_LAB_002	Effec	Effective Date:	
Supersedes: 1.0			Pag	ge 3 of 3
Serum Biospecime	an Aliquot			
Biospecimen	Number of	Aliquot Volume	Example E	Biospecimen Aliquot Labe
Number	Aliquots	(mL)		
1				
2				
3				
4				
5				
3				
Comments:				
Performed by/				
Reviewed by/	date:			
		call in the second second and second s	a share baka da suura a	and the second latter the second
		e. Use of a superseded of proprietary information. Do		

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

sponsored by the National Cancer Institute

### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_002 Version 2.0				
Page 11 of 12	Supersedes	1.0		

#### Attachment 2: VIC\_LAB\_002.02, Serum Biospecimen Collection Form

	Frederick National Laboratory for Cancer Research sponsored by the National Cancer Institute			Vaccine, Immunity and Cancer Program Standard Operating Procedure Form		
Form	Title: Serum Bios	pecimen Coll	ection Form			
Docu	ment ID: VIC_LAB	_002.02		Version:		2.0
Asso	ciated SOP: VIC_L	AB_002		Effective Date:		
:	Supersedes:		1.0		Page 1 of 1	
Deide	ntified Biospecimen	ID:				
Bi	iospecimen Group:		□ Positive □ Ne	gative 🗆 Serosurvei	illance	
	utainer Collection T	ube		•		
	9	Catalog No.:				
		Lot No.:	□ N/A			
		Exp. Date:				
on II. Blo	od Biospecimen Co Name of Clin					
Date:	Name of Clin	ic/Company.	Time:		Initials:	

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

sponsored by the National Cancer Institute

## Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Serum Biospecimen Processing Procedure (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_002Version2.0				
Page 12 of 12     Supersedes		1.0		

#### Attachment 3: Vial Label and Box / Rack Label

#### Vial Label

2228	Aliquot ID
10-55	Biospecimen Type
	Volume

Barcode:	Barcode linked to Biospecimen Aliquot ID
Line 1:	Deidentified Biospecimen Aliquot ID
Line 2:	Biospecimen Type (Serum)
Line 3:	Volume (mL)

Example Label:



Box Label

Study: ?????? / ?????? Biospecimen Type: ????? Date: DDMMMYY Shipping ID: XXXXXX Box ? of ?

Line 1:	SeroNet
Line 2:	Biospecimen Type (Human Serum)
Line 3:	Date in DDMMMYY format
Line 4:	Shipping ID
Line 5:	Box Number

Example Label:

Box Label Placement:



Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Effective Date: 24Nov20

Frederick National Laboratory for Cancer Research sponsored by the National Cancer Institute	Vaccine, Immunity and Cancer Program Standard Operating Procedure		
SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0		2.0	
Page 1 of 19	Supersedes	1.0	

Angelina C. Richards Digitally signed by Angelina C. -S (Affiliate) Date: 2020.11.24 17:37:20 -05'00'

Released by / Effective Date: \_S (Affiliate)

Written by:		
Printed Name:	Title:	Signature/Date:
Troy Kemp	Scientific Manager	Troy J. Kemp -S (Affiliate) Digitally signed by Troy J. Kemp - S (Affiliate) Date: 2020.11.24 16:46:41 -05'00'

Approved by:				
Printed Name:	Title:	Signature/Date:		
Debra Hope	NCI SeroNet Project Manager	Debra A. Hope -S (Affiliate) Date: 2020.11.24 16:51:47 -05'00'		
Ligia Pinto	Director	Ligia A. Pinto -S (Affiliate) Date: 2020.11.24 17:24:39 -05'00'		
QA Approved by:				
Printed Name:	Title:	Signature/Date:		
Angelina Richards	QA Specialist III	Angelina C. Richards Digitally signed by Angelina C. -S (Affiliate) Date: 2020.11.24 17:36:55 -05'00'		

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

Effective Date: 24Nov20

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0			
Page 2 of 19   Supersedes   1.0			

#### 1. PURPOSE

- 1.1. This GUIDANCE DOCUMENT is designed to explain the process of isolating Peripheral Blood Mononuclear Cells (PBMCs) and freezing PBMCs for storage at -80°C or colder.
- 1.2. This GUIDANCE DOCUMENT is intended to convey the process parameters and practices to be followed by each institute associated with the National Cancer Institute (NCI) Serological Sciences Network (SeroNet).

#### 2. SCOPE

- 2.1. This document applies to all institutes associated with SeroNet through collaborations, grant funding, subcontracts, etc. that perform PBMC isolation and cryopreservation.
- 2.2. This procedure does not describe the biospecimen collecting process. The biospecimen collecting process is dictated by the institute's protocol.

#### 3. REFERENCES

- 3.1. VIC\_GL\_002: Shipping SARS-CoV-2 Associated Specimens to the FNL Central Repository (NCI SeroNet Guidance Document)
- 3.2. VIC\_GL\_003: Key Entity Identifier Assignment (NCI SeroNet Guidance Document)

#### 4. **RESPONSIBILITIES**

- 4.1. It is the responsibility of the institute performing the PBMC isolation and cryopreservation to:
  - 4.1.1. Perform PBMC isolation and cryopreservation using the indicated reagents, materials, equipment and process parameters in this guidance document.
  - 4.1.2. Ship the PBMCs to the FNL Central Repository following "VIC\_GL\_002: Shipping SARS-CoV-2 Associated Specimens to the FNL Central Repository (NCI SeroNet Guidance Document)."
- 4.2. It is the responsibility of the Vaccine, Immunity and Cancer Program (VIC) to:
  - 4.2.1. Generate, review and approve the PBMC isolation and cryopreservation process guidance document.
  - 4.2.2. Distribute the most current version of this guidance document to each institute associated with SeroNet.

#### 5. DEFINITIONS

Effective Date: 24Nov20

5.1. Acid Citrate Dextrose (ACD)

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

sponsored by the National Cancer Institute

Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0			
Page 3 of 19     Supersedes     1.0			

- 5.2. Biospecimen a sample of biological material, such as urine, whole blood, blood components, tissue, cells, DNA, RNA, and protein.
- 5.3. Peripheral Blood Mononuclear Cell (PBMC) any peripheral cell having a round nucleus; consists of lymphocytes (T cells, B cells, NK cells) and monocytes.
- 5.4. Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2)

#### 6. REAGENTS, MATERIALS AND EQUIPMENT

- 6.1. Reagents
  - 6.1.1. Dulbecco's Phosphate-Buffered Saline (DPBS), Ca<sup>2+</sup> and Mg<sup>2+</sup> free (Life Technologies, Cat # 14190-136 or equivalent)
  - 6.1.2. Ficoll-Hypaque, density of 1.077 g/mL (Amersham Pharmacia Biotech, Cat # 17-1440-02)
  - 6.1.3. RPMI-1640, No L-glutamine (Gibco, Cat # 21870076)
  - 6.1.4. 200 mM L-glutamine (Gibco, Cat # 25030081)
  - 6.1.5. 1M Hepes (Gibco, Cat # 15630-080)
  - 6.1.6. Penicillin/Streptomycin (Sigma, Cat # P-0781)
  - 6.1.7. Dimethyl Sulfoxide (DMSO), Cell Culture Grade (Sigma, Cat # D-2650)
  - 1.1.1. Fetal Bovine Serum (FBS), Heat-Inactivated (Hyclone, Cat # SH30070.03HI)
  - 6.1.8. Vital Stain Dye (e.g., Trypan Blue)
- 6.2. Consumables

**Note:** Consumables requiring approval for use as "equivalent" by the NCI SeroNet are indicated with an Asterisk (\*).

- 6.2.1. 50 mL Polypropylene Centrifuge Tubes (Falcon, Cat # 352098 or equivalent)
- 6.2.2. 2 mL Cryovials (Fisher Scientific, Cat # 12-565-163N or equivalent\*)
- 6.2.3. 15 mL Conical Tube (Falcon, Cat # 352097 or equivalent)
- 6.2.4. Serological Pipets, various sizes
- 6.2.5. Pipette Tips, various sizes
- 6.2.6. Wet Ice

Effective Date: 24Nov20

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0			
Page 4 of 19     Supersedes     1.0			

- 6.2.7. Media Storage Bottle, various sizes
- 6.2.8. Labels that can withstand temperatures  $\leq 80^{\circ}$ C
  - 6.2.8.1. Example: Brady Label (Anthony-Lee Associates, Cat # THT-133-461-SLIT)
- 6.2.9. BD vacutainer ACD tubes (Thomas Scientific, Cat # 9670A08 or equivalent\*)
- 6.2.10. 2-inch box and 81 slot-grid

#### 6.3. Equipment

- 6.3.1. Class II Biosafety Cabinet (BSC)
- 6.3.2. Benchtop Centrifuge
- 6.3.3. Hemocytometer
- 6.3.4. Inverted Microscope
- 6.3.5. Micropipettor
- 6.3.6. Automated Serological Pipet
- 6.3.7. Controlled-Rate Freezer
- 6.3.8. Liquid Nitrogen (LN<sub>2</sub>)
- 6.3.9. Liquid Nitrogen (LN<sub>2</sub>) Storage Freezer
- 6.3.10. 2-8°C Refrigerator

#### 7. HEALTH AND SAFETY CONSIDERATIONS

**Note:** Each institute's Environment, Health, and Safety department will provide definitive measures for safety when processing human biospecimens as these considerations are provided only as a guideline.

- 7.1. Proper safety precautions should be taken while working in a laboratory setting. This includes, but is not limited to, proper protective equipment such as lab coats, safety glasses, closed-toe shoes, and non-latex gloves.
- 7.2. If SARS-CoV-2 positive samples are being processed, additional protective equipment is worn such as double layer of non-latex gloves and disposable arm sleeves.
- 7.3. A face mask is part of the standard personal protective equipment for the laboratory during the SARS-CoV-2 pandemic.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

```
For Reference Use Only
```

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0			
Page 5 of 19   Supersedes   1.0			

- 7.4. Follow the institute governed Biosafety Level 2 (BSL-2) requirements for handling and processing human biospecimens.
- 7.5. All human biospecimen processing work is performed inside of a Class II BSC.
- 7.6. Refer to the respective Safety Data Sheet (SDS) when working with any chemicals.
- 7.7. Refer to the institute's processes for disposing of biohazardous and chemical waste.

#### 8. PROCEDURE PRINCIPLES

- 8.1. Refer to "VIC\_GL\_003: Key Entity Identifier Assignment (NCI SeroNet Guidance Document)" for process of assigning IDs to biospecimens and biospecimen aliquots.
- 8.2. Image of form "VIC\_LAB\_001.01, PBMC Isolation and Cryopreservation Form" is attached for institute's reference. The minimum information requiring documentation during the performance of this process is included in this form. See Attachment 1.
- 8.3. Image of form "VIC\_LAB\_001.02, PBMC Biospecimen Collection Form" is attached for institute's reference. The minimum information requiring documentation during the performance of the blood biospecimen collection for PBMC isolation and cryopreservation is included in this form. See Attachment 2.
- 8.4. Phlebotomist should collect blood in ACD tubes.
- 8.5. It is preferred that all equipment used in this process is maintained, at minimum, per the equipment manufacturer's recommendations.
- 8.6. It is preferred that all Micropipettors, Laboratory Freezers and Refrigerators, Benchtop Centrifuges, and Automated Cell Counters used in this process be calibrated by a vendor or other qualified party.
- 8.7. It is preferred that all Laboratory Freezers and Refrigerators used in this process be monitored for temperature by a temperature monitoring system.
- 8.8. All reagent preparation and human biospecimen handling are performed in a Class II Biosafety Cabinet (BSC) except for centrifugation, freezing cycle and storage.

#### 9. REAGENT PREPARATION

- 9.1. RPMI-1640 Complete Media + 40% FBS
  - 9.1.1. Combine reagents into appropriately sized media storage bottle. See Table 1 for preparation of 1000 mL; preparation can be scaled up or down as needed.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0			
Page 6 of 19   Supersedes   1.0			

#### Table 1: RPMI-1640 Complete Media + 40% FBS Preparation (1000 mL)

200 mM L-Glutamine	10
1M Hepes Penicillin/Streptomycin	10 10
Peniciliin/Streptomycin	10 1000

- 9.1.2. Mix well by inversion.
- 9.1.3. Label reagent with Reagent Name, Lot Number/Tracking Number, preparation date, expiration date, storage condition and initials.
- 9.1.4. RPMI-1640 Complete Media + 40% FBS may be stored at 2-8°C for up to two weeks.
- 9.2. RPMI-1640 Complete Media + 15% DMSO
  - 9.2.1. Prepare reagent day of use.
  - 9.2.2. Combine reagents into appropriately sized media storage bottle. See Table 2 for preparation of 100 mL; preparation can be scaled up or down as needed.

Table 2: RPMI-1640 Complete Media + 15% DMSO Preparation (100 mL)

Total	100
Penicillin/Streptomycin	1.0
1M Hepes	1.0
200 mM L-Glutamine	1.0
DMSO, Cell Culture Grade	15
RPMI-1640, No L-Glutamine	82
Reagent	Volume (mL)
	- 1

- 9.2.3. Mix well by inversion.
- 9.2.4. Label reagent with Reagent Name, Lot Number/Tracking Number, preparation date and initials.
- 9.2.5. Store reagent at 2-8°C or on wet ice until used.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI Ser	oNet Guidance Docum	nent)
Document ID: VIC_LAB_001	Version	2.0
Page 7 of 19	Supersedes	1.0

9.2.6. Do not retain remaining reagent after processing, discard according to the organization's chemical disposal process.

#### 10. PBMC ISOLATION

### Note: Maximum allowable time from blood collection (processing of PBMC) to $LN_2$ storage is 8 hours.

- 10.1. Upon receipt of blood biospecimen, observe and record the total volume of blood biospecimen collected on form VIC\_LAB\_001.01.
- 10.2. Using a 50 mL polypropylene tube or appropriately sized sterile storage bottle/flask dilute the blood biospecimen with an equal volume of DPBS.
- 10.3. Label 50 mL or 15 mL conical tubes with sample identification number (ID).
- 10.4. Dispense 15 mL of Ficoll-Hypaque into labeled 50 mL conical tubes, or if using 15 mL conical tubes, dispense 4 mL of Ficoll-Hypaque into labeled tubes.
- 10.5. Carefully overlay diluted blood from step 10.2 onto the Ficoll-Hypaque from step 10.4.
  - 10.5.1. When using 50 mL conical tube, the maximum volume is not to exceed 45 mL.
  - 10.5.2. When using 15 mL conical tube, the maximum volume is not to exceed 13.5 mL. See Figure 1.
- 10.6. Centrifuge the samples for 20 minutes at 1000 x g at 20°C with the centrifuge brake turned off.
- 10.7. Using a transfer pipette or serological pipette, remove the PBMC layer and transfer to a single clean 50 mL centrifuge tube labeled with sample ID. See Figure 1.




Figure 1: Image of Blood Overlay and Layers Post Centrifugation

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

Effective Date: 24Nov20

Uncontrolled Print Copy

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI Ser	oNet Guidance Docum	nent)				
Document ID: VIC_LAB_001	ocument ID: VIC_LAB_001 Version 2.0					
Page 8 of 19	Supersedes	1.0				

- 10.8. Wash the PBMCs by quantum satis (q.s.) to 45 mL with DPBS, then centrifuge for 10 minutes at 470 x g at 20°C with the brake on.
- 10.9. Decant the supernatant.
- 10.10. Wash the PBMC pellet one additional time with 45 mL DPBS. Centrifuge for 10 minutes at 300 x g at 20°C with brake on.
- 10.11. Decant the supernatant.
- 10.12. Resuspend cells in cold RPMI-1640 Complete Media + 40% FBS (1 mL).
- 10.13. Perform a cell count using hemocytometer. See Attachment 3 for cell counting using a hemocytometer.

**Note:** If the institute has an Automated Cell Counter, the institute can perform a second count on the cell counter as For Information Only (FIO).

10.14. Record the hemocytometer cell count and calculate viability (live cells ÷ total cells x 100%). Only proceed with cryopreservation if viability is greater than 80%.

#### 11. CRYOPRESERVATION

Note: It is very important at this point that cells, media, and tubes are kept cold on wet ice.

- 11.1. Label 2 mL cryovials using Attachment 4. Refer to VIC\_GL\_003 for biospecimen aliquot ID assignment process. **Use Deidentified Biospecimen Aliquot ID Only**.
- 11.2. Adjust cell concentration to be 20 x 10<sup>6</sup> cells/mL using RPMI-1640 Complete + 40% FBS.
- 11.3. Add dropwise an equal volume of cold RPMI-1640 Complete + 15% DMSO giving a final freezing solution of RPMI-1640 Complete containing 20% FBS and 7.5% DMSO. Resuspend cells gently.
- 11.4. Transfer 1.0 mL of the cell suspension (well suspended) using a pipette with a 1000 μL tip into each of the pre-chilled 2 mL cryovials.

**Note:** Gently mix cells by inversion after 2-3 minutes has passed for cells to settle, before transferring the cells.

- 11.5. Maintain the cells on wet ice until all samples are ready for transfer to the controlled-rate freezer. Processing should be performed quickly due to the recognized toxicity of DMSO.
- 11.6. Controlled-Rate Freezer
  - 11.6.1. See Attachment 5 for the controlled-rate freezer program.
  - 11.6.2. Prechill the controlled-rate freezer to a starting temperature of 4°C.

Uncontrolled Print Copy

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

### Frederick National Laboratory

for Cancer Research

sponsored by the National Cancer Institute

Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_001Version2.0				
Page 9 of 19	Supersedes	1.0		

- 11.6.3. Prepare one control vial to regulate the controlled- rate freezer. Use the same volume and concentrations as the final freezing solution (i.e., 0.5 mL of RPMI-1640 Complete + 40% FBS plus 0.5 mL RPMI-1640 Complete + 15% DMSO).
- 11.6.4. Transfer cryovials immediately to the controlled-rate freezer.
- 11.6.5. Place the PBMC biospecimen aliquot vials and the control vial into the freezing chamber.
- 11.6.6. Place the freezer thermocouple into the control vial. Allow the control vial temperature and the chamber temperature to equilibrate to 4°C.
- 11.6.7. Begin the programmed, controlled-rate freeze.
- 11.6.8. At the conclusion of the freeze cycle, the cryovials will have reached -90°C and are transferred directly to freeze boxes for liquid nitrogen storage.
- 11.6.9. Check the freezing report to assure appropriate controlled-rate freezing. Make note on record (form VIC\_LAB\_001.01) if the parameters were not met. Retain controlled-rate freezer report print out with record.
- 11.6.10. Record the number of vials frozen. Attached is an example vial label to the record (VIC\_LAB\_001.01).
- 11.6.11. If there were problems encountered during PBMC biospecimen processing, note these on the record (form VIC\_LAB\_001.01). Record any problems with freezing procedure.
- 11.7. Ship PBMCs in LN<sub>2</sub> shipper to the FNL Central Repository following VIC\_GL\_002.

#### 12. ATTACHMENTS

- 12.1. Attachment 1: VIC\_LAB\_001.01, PBMC Isolation and Cryopreservation Form
- 12.2. Attachment 2: VIC\_LAB\_001.02, PBMC Biospecimen Collection Form
- 12.3. Attachment 3: Counting Cells with a Hemocytometer
- 12.4. Attachment 4: Vial Label and Box / Rack Label
- 12.5. Attachment 5: Controlled-Rate Freezer Program Parameters

#### 13. REVISION HISTORY

Version	Change	Reason
1.0	New guidance document for isolation and cryopreservation of PBMC by SeroNet organizations.	Currently no procedure; new initiative requiring communication of expectations.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Effective Date: 24Nov20

Uncontrolled Print Copy

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI Ser	oNet Guidance Docum	nent)
Document ID: VIC_LAB_001	Version	2.0
Page 10 of 19	Supersedes	1.0

	1. Replaced "sample" and "specimen" with "biospecimen" throughout the document.	<ol> <li>Consistency between documents and database verbiage.</li> </ol>
	2. Minor formatting and grammatical changes throughout the document.	2. Clarification, ease of use.
	<b>o o</b>	3. Referred in the body of the procedure.
		4. Clarification.
		5. Reflect current practice.
		6. Reflect current practice.
		7. Clarification.
2.0	-	8. Clarification.
		9. Clarification.
		10. Clarification; reflect current practice.
		11. Reflect current practice.
		12. Ease of use.
		13. Ease of use, reflect current practice.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

Effective Date: 24Nov20

sponsored by the National Cancer Institute

### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI Ser	oNet Guidance Docum	nent)
Document ID: VIC_LAB_001	Version	2.0
Page 11 of 19	Supersedes	1.0

#### Attachment 1: VIC\_LAB\_001.01, PBMC Isolation and Cryopreservation Form

	Frederick National Laboratory for Cancer Research sponsored by the National Cancer Institute					Vaccine, Immunity and Cancer Program Standard Operating Procedure Form				
F	orm Title	e: PBMC Isola	ation and Cr	oprese	ervation Form	ı				
D	ocumen	t ID: VIC_LAE	3_001.01				Version:		2.0	
A	Associated SOP: VIC_LAB_001					Ef	fective Date:			
	Supersedes: 1.0				Page 1 of 5					
	Diognosin	nen Receipt				1				
		en Processing	g Laboratory	Name:						
iospecii Numbe		Deidentified E	Biospecimen	ID	Volume (r	nL	Date Recei	ved	Time Received (24H)	Initials
1			1949 1		14				(241)	
2										
3										
4										
5										
E	Equipmer	nt								
	E	quipment Nan	ne		Equipm	nent ID	1		Calibration Due Dat	e
	SC									
	centrifuge									
	Pipette									
	N/A Pipet									
	N/A Pipet									
		C Refrigerator								
	licroscop									
-	lemocyto		untor							
100000		nated Cell Co -Rate Freezer	- 1995 - CONTROL (1999)							
2023	107927 - 504000R	je Freezer								
		10020								

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

### Frederick National Laboratory

for Cancer Research

#### sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_001Version2.0				
Page 12 of 19	Supersedes	1.0		

Frederick National I for Cance sponsored by the Na		Vaccine, Immunity and Cancer Program Standard Operating Procedure Form								
Form Title: PBMC Isolatio	n and Cryopr	eservation Form	ı							
Document ID: VIC_LAB_0	01.01		V	/ersion:		2.0				
Associated SOP: VIC_LAE	_001		Effe	ctive Date:						
Supersedes:	1	.0	Page 2 of 5							
Reagents										
Reagent Name		Catalog Nur	nber	Lot Nu	mber	Expiration Date				
DPBS										
Ficoll-Hypaque										
RPMI-1640, no L-Glutamine	9									
Fetal Bovine Serum										
200 mM L-Glutamine				3						
1M Hepes										
Penicillin/Streptomycin										
DMSO, Cell Culture Grade				8		ē.				
N/A Vital Stain Dye (e.g. T	rypan Blue)									
				No						
Consumables Consumable Name	Catala	g Number		Lot Number	Т	Expiration Date				
50 mL Polypropylene Tube	Catalo	g Number		LOUNUMBER		Expiration Date				
N/A 15 mL Conical Tube										
N/A 2 mL Cryovial										
N/A Cryovial Label										
					□ N/A					
PBMC Isolation Processing Steps (v) Process Step	-	n equal volume o	of DPBS							
	Hypaque inic									
Dispense Ficoll-			I-Hypao	ue.	Overlay diluted blood biospecimen onto Ficoll-Hypaque. Centrifuge for 20 min, 1000 x g, 20°C, brake OFF.					
Dispense Ficoll- Overlay diluted I	blood biospec	cimen onto Ficol		ue.						
Dispense Ficoll- Overlay diluted I Centrifuge for 20	blood biospec min, 1000 x	cimen onto Ficol g, 20°C, brake	OFF.	Las countrale for an warmful (	mL with DP	BS.				
Dispense Ficoll- Overlay diluted I Centrifuge for 20 Remove PBMC	blood biospec min, 1000 x layer and trai	cimen onto Ficol g, 20°C, brake nsfer to 50 mL c	OFF. onical tu	Las countrale for an warmful (	mL with DP	BS.				
Dispense Ficoll- Overlay diluted I Centrifuge for 20 Remove PBMC Centrifuge for 10	blood biospec o min, 1000 x layer and tran o min, 470 x g	cimen onto Ficol g, 20°C, brake nsfer to 50 mL c g, 20°C, brake C	OFF. onical tu	Las countrale for an warmful (	mL with DP	BS.				
Dispense Ficoll- Overlay diluted I Centrifuge for 20 Remove PBMC	blood biospec ) min, 1000 x layer and trai ) min, 470 x g tant. Add 45 r	cimen onto Ficol g, 20°C, brake nsfer to 50 mL c g, 20°C, brake C mL DPBS.	OFF. onical tu N.	Las countrale for an warmful (	mL with DP	BS.				

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

### Frederick National Laboratory

for Cancer Research

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

sponsored by the National Cancer Institute

SOP Title: Isolation and Cryopreservation of PBMC (NCI Ser	oNet Guidance Docum	nent)
Document ID: VIC_LAB_001	Version	2.0
Page 13 of 19	Supersedes	1.0

2	for Cancer Res				tandard Operat Forr	
Form Title:	PBMC Isolation and	Cryopreservatio	n Form	1		
Document	ID: VIC_LAB_001.01			Version:		2.0
Associated	ciated SOP: VIC_LAB_001			Effective Date	:	
Supers	sedes:	1.0			Page 3 of 5	5
Reagent P	reparation					
	40 Complete + 40% FE	IS				
DDM 40	Reagent			Volume (mL)		
	40, no L-Glutamine					
ALC ACCOUNTS OF THE DAY	ine Serum Glutamine					
1M Hepes	A New Contraction					
	Streptomycin					
Cell Count ospecimen	- Hemocytometer (Re					
Number	Live Cells	Deac	d Cells		otal Cells	% Viability
1						
2						
3						
4						
5						
Cell Count	- Automated Cell Cou	nter (For Inform	nation C	only)		
ospecimen Number	Live Cells	Dead	d Cells	1	otal Cells	% Viability
1						
2						
3						
4						
5						

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Effective Date: 24Nov20

#### sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0			
Page 14 of 19	Supersedes	1.0	

Frederick National Laboratory for Cancer Research sponsored by the National Cancer Institute			Vaccine, Immunity and Cancer Program Standard Operating Procedure Form		
Form Tit	le: PBMC Isolation	and Cryopreservation	Form		
Docume	nt ID: VIC_LAB_00'	1.01	Version:	2.0	)
Associated SOP: VIC_LAB_001		Effective Date:			
Supersedes: 1.0		F	Page 4 of 5		
Reagen	Cryopreservation	2/ DM00 /Farana Mar	1->	1	
RPIVII-		% DMSO (Freeze Med		-	
DDM	Reagent 1640, no L-Glutamin		Volume (mL)	1	
	a mar and attach sample share any	5		-	
Inclusion of the local	, Cell Culture Grade			-	
	M L-Glutamine			4	
1M He	pes			4	
Penicil	lin/Streptomycin				
Process	ing Steps				
(√)	Process Step				
adi ju di	Label 2 mL cryovia	s. Chill at 2-8°C.			
	Adjust cell concent	ration to be 20 x 106 ce	ells/mL using RPMI-1640 Co	mplete + 40% F	BS.
	Add dropwise an e	qual volume of cold RF	PMI-1640 Complete + 15% [	DMSO. Gently re	suspend cells.
	Transfer 1.0 mL of	the cell suspension int	o each labeled 2 mL cryovia	ıl.	
	Freeze PBMCs usi	ng Controlled-Rate Fre	ezer.		
	Store PBMCs in LN	2 Freezer.			
ontrolled-Rate	Freezer, see attached pri				
Biospecimen Number		H) Blood Biospecimen collected	Date / Time (24H Biospecimen Stored in		Initials
1					
2					
3					
3				1	

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Effective Date: 24Nov20

### Frederick National Laboratory

for Cancer Research

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

sponsored by the National Cancer Institute

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_001Version2.0				
Page 15 of 19Supersedes1.0				

Frederick National Laboratory for Cancer Research sponsored by the National Cancer Institute		Vaccine, li Stand	Vaccine, Immunity and Cancer Program Standard Operating Procedure Form	
Form Title: P	BMC Isolation and Cryopres	vation Form		
Document ID:	VIC_LAB_001.01	Version:	2.0	
Associated SC	P: VIC_LAB_001	Effective Date:		
Supersec	les: 1.0		Page 5 of 5	
Biospecimen Number	Number of Cryovials Frozen	Example L	abel	
1				
2				
3				
4				
5				
Comments: D	J/A			
Performe	d by/date:		1	
Performed by/date: Reviewed by/date:				

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

sponsored by the National Cancer Institute

### Vaccine, Immunity and Cancer Program Standard Operating Procedure

 SOP Title:
 Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)

 Document ID:
 VIC\_LAB\_001
 Version
 2.0

 Page 16 of 19
 Supersedes
 1.0

#### Attachment 2: VIC\_LAB\_001.02, PBMC Biospecimen Collection Form

-	Frederick National Laboratory for Cancer Research			e, Immunity and Cancer Program andard Operating Procedure Form	
For	n Title: PBMC Biosp	ecimen Col	lection Form		
Doc	ument ID: VIC_LAB	_001.02		Version:	2.0
Ass	ociated SOP: VIC_L/	AB_001		Effective Date:	
	Supersedes: 1.0		1.0		Page 1 of 1
Deid	entified Biospecimen	ID.			
	Biospecimen Group:			gative □ Serosurve	illance
	acutainer Collection T	ube			
		Туре:	□ ACD □ Other		
		Catalog No.:			
		Lot No.:	□ N/A		
		Exp. Date:			
on II. B	lood Biospecimen Co	llection			
	Name of Clin	c/Company:			
Date:			Time: (24 Hr)		Initials:
Re	viewed by/date:				

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Effective Date: 24Nov20


sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0			
Page 17 of 19     Supersedes     1.0			

#### Attachment 3: Counting Cells with a Hemocytometer

- Count cells with a hemocytometer using vital stain dye (Trypan blue).
  - Note: May start with a 1:2 dilution (equal volumes of vital stain dye and cells).
     However, the dilution may need to change, so the total cell count of quadrants A, B, C, and D is ~80-200 cells.
- Add 10 µL of vital stain dye/cell mixture to the hemocytometer.
- Count cells in quadrants A, B, C, and D (refer to diagram below). <u>Only count cells that fall</u> on two of the four outer edges of each of the four quadrants, as defined by the red lines in the diagram below.



- Record the number of live cells (blue negative), dead cells (blue positive) and total cells (live cells + dead cells).
- To calculate cell concentration, use the following formula:

(Total cells counted ÷ Number of quadrants counted) x Dilution Factor x 10,000

For example, a sample that was diluted 1:2 had 100 live cells counted in four quadrants. (100  $\div$  4) x 2 x 10,000 = 500,000 cells/mL

• To calculate cell viability, use the following formula: (Live cells ÷ Total cells) x 100%

For example, a sample has 75 live cells and 50 dead cells. Total cells = 75 live + 50 dead = 125 Viability =  $(75 \div 125) \times 100\% = 60\%$ 

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.

Effective Date: 24Nov20

sponsored by the National Cancer Institute

## Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)			
Document ID: VIC_LAB_001Version2.0			
Page 18 of 19	Supersedes	1.0	

#### Attachment 4: Vial Label and Box / Rack Label

#### Vial Label

Biospecimen Aliquot ID	Barcode:	Barcode linked to Biospecimen Aliquot ID
	Line 1:	Deidentified Biospecimen Aliquot ID
Diffe PBMC	Line 2:	PBMC
Volume Cell Concentration	Line 3:	Volume (mL)
	Line 4:	Final Cell Concentration (x 10 <sup>6</sup> cells/mL)

Example Label:			
A1_123456_123_1 PBMC 1.0 mL			
10 x 10 <sup>6</sup> cells/mL			

Box / Rack Label

Study: ?????? / ?????? Biospecimen Type: ?????			
Date: DDMMMYY			
Shipping ID: XXXXXXX			
Box ? of ?			

Line 1:	SeroNet
Line 2:	PBMC
Line 3:	Date in DDMMMYY format
Line 4:	Shipping ID
Line 5:	Box Number

Exam	ple	Label:

Study: SeroNet
Biospecimen Type: PBMC
Date: 01Jan20
Shipping ID: XXXXXXX
Box 1 of 10

**Box Label Placement** 



Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written permission.

Effective Date: 24Nov20

Uncontrolled Print Copy

sponsored by the National Cancer Institute

#### Vaccine, Immunity and Cancer Program Standard Operating Procedure

SOP Title: Isolation and Cryopreservation of PBMC (NCI SeroNet Guidance Document)				
Document ID: VIC_LAB_001	Version	2.0		
Page 19 of 19	Supersedes	1.0		

#### Attachment 5: Controlled-Rate Freezer Program Parameters

	Rate	End Temp		
Step No.	(°C/min)	(°C)	Hold (m s)	Trigger
1			5m 0s	Chamber
2	-1.00	-4.00		Chamber
3	-25.00	-50.00		Chamber
4	10.00	-20.00		Chamber
5	-1.00	-40.00		Chamber
6	-5.00	-90.00		Chamber
7			0m 0s	Chamber

Verify current version prior to use. Use of a superseded or obsolete document is prohibited.

This document contains confidential and proprietary information. Do not copy or distribute without prior, written

permission.